SENSORS AND ACTUATORS B VOLUME B14, NUMBERS 1–3, JUNE 1993

Contents

Poster Presentations

Effect of noble metal catalyst on titania exhaust gas oxygen sensor 491
M. T. Wu, X. Yao, Z. H. Yuan, H. T. Sun, W. C. Wu, Q. H. Chen and G. Y. Xu (Xi'an, China)

Platinum-titania oxygen sensors and their sensing mechanisms 492
Y. Xu, K. Yao, X. Zhou and Q. Cao (Xi'an, China)

Oxygen sensing properties of Ti-doped Nb_2O_5 495
M. Ohtaki, J. Peng, K. Eguchi and H. Arai (Fukuoka, Japan)

Integrated gas sensor for oxygen detection 497
V. Demarne, S. Balkanova, A. Grisel (Neuchâtel, Switzerland), D. Rosenfeld and F. Lévy (Lausanne, Switzerland)

Dynamic response of a low-temperature field-effect oxygen sensor 499
S. Krause, W. Moritz, I. Grohmann, W. Unger, T. Gross and A. Lippitz (Berlin, Germany)

Analysis of abnormal output of zirconia oxygen sensor in exhaust gas at low excess air ratio 501
T. Suemasu, Y. Kurumiya and K. Ishibashi (Tokyo, Japan)

Analysis of SnO_{2-x}/Pt thin film for gas sensors 504
S. P. Lee (Kyungnam, South Korea)

Gas-sensor properties of $RE_{1+x}Ba_{2-x}Cu_3O_{7-y}$ 506
F. Munakata, K. Shinohara, M. Kobayashi, K. Furuya, M. Yamanaka and H. Takao (Yokosuka, Japan)

Oxygen-sensing factor of TiO_2 doped with metal ions 509
S. Hasegawa, Y. Sasaki and S. Matsuhara (Tokyo, Japan)

Sensing mechanism of SnO_2-based sensors for alcohols 511
H. P. Kim, J.-J. Choi, H.-W. Cheong, J.-M. Kim and J. Kim (Taejon, South Korea)

Simultaneous determination of gas mixture using plural SnO_2-gas sensors 513
Y. Hayakawa, A. Ono (Kawasaki, Japan), S. Kanaya, H. Abe and S. Sasaki (Toyohashi, Japan)

Responses of SnO_2-based sensors for vapors with electron-accepting groups 515
J.-J. Choi, H. P. Kim, H.-W. Cheong, J.-M. Kim and J. Kim (Taejon, South Korea)

Effects of phase transition of added TiO_2 on characteristics of SnO_2-based hydrocarbon-gas sensors 517
W.-Y. Chung, D.-D. Lee (Taegu, South Korea) and D.-H. Choi (Chongju, South Korea)

Characteristics of tin dioxide thin-film sensor for the detection of H_2S 519
C. Y. B. Chun, S. Zhao, P. Wei and J. Lu (Shandong, China)

Humidity- and gas-sensing properties with an Fe_2O_3 film sputtered on a porous Al_2O_3 film 521
M. Fukazawa, H. Matuzaki and K. Hara (Tokyo, Japan)

Humidity sensor with manganese oxide for room temperature use 523
C.-N. Xu and K. Miyazaki (Fukuoka, Japan)

Humidity-sensitive electrical properties of $MgAl_2O_4$ thin films 525
G. Gusmano, G. Montesperelli, E. Traversa and A. Bearzotti (Rome, Italy)

Characterization and optimization of a CO_2-sensitive organically-modified silicate with respect to its use as a gas sensor 528
J. Lin, M. Heurich, V. Schlichting and E. Obermeier (Berlin, Germany)

Comparison of thin- and thick-film CO_2 sensors 530
V. Leonhard, D. Fischer, H. Erdmann, M. Ilgenstein and H. Köppen (Frankfurt, Germany)

CO_2-sensing characteristics of the solid-state electrochemical sensor based on sodium ionic conductors 532
Y. Sadaoka, Y. Sakai and T. Manabe (Matsuyama, Japan)

Development of carbon monoxide detector using Au fine particles-doped α-Fe_2O_3 536
N. Funazaki, A. Hemmi, S. Ito, Y. Asano, S. Yamashita (Tokyo, Japan), T. Kobayashi and M. Haruta (Osaka, Japan)

Elsevier Sequoia

An ionization chamber-type CO sensor 539
I. Takahashi, T. Matsuzawa and M. Sakaguchi (Tokyo, Japan)

Electrochemical filter/biosensor flow injection analysis system for the direct analysis of practical samples. 541
Y. Okawa, H. Kobayashi and T. Ohno (Chiba-shi, Japan)

Optical thin films for gas sensing. 543
M. G. Baron, R. Narayanaswamy (Manchester, UK) and S. C. Thorpe (Sheffield, UK)

Enhancing effect of gold deposition in the optical detection of reducing gases in air by metal oxide thin films 545
T. Kobayashi, M. Haruta and M. Ando (Osaka, Japan)

Preparation and characterization of an optically-detectable hydrogen gas sensor consisting of Pd/WO_3 thin films . . . 547
Y. Oh, J. Hamagami, Y. Watanabe and M. Takata (Niigata, Japan)

Acoustic devices for simultaneous determination of adsorbed amount and surface-conductivity changes by gas adsorption 549
Y. Inoue, M. Nakae and S. Fukagawa (Niigata, Japan)

Investigation of a novel quartz gas detector by resonant damping theory 551
Y. Dong, G. Feng and C. Gui (Beijing, China)

Biosensor of hydrogen peroxide using triethyloxonium fluoroborate as alkylating reagent before enzyme immobilization 554
D. Cao, X. Wu and Z. Zhou (Shanghai, China)

An electrochemical study on the redox-reaction mechanism of Prussian blue in propylene carbonate using the quartz crystal microbalance. 556
Y. Ohsawa and K. Aoki (Kanagawa-ken, Japan)

Highly sensitive small volume voltammetry of reversible redox species with an IDA electrochemical cell and its application to selective detection of catecholamine 558
O. Niwa, M. Morita and H. Tabei (Ibaraki, Japan)

Electrochemically-deposited RuO_2 films as pH sensors. 561
K. Pásztor, A. Sekiguchi, N. Shimo, N. Kitamura and H. Masuhara (Chiba, Japan)

Polymer-based ion-selective electrodes modified with naphthalene sulfonates. 563
T. Okada, K. Hiratani, H. Sugihara and N. Koshizaki (Tsukuba, Japan)

Study of thick-film pH sensors. 566
J. H. Liu, Y. H. Zhang, Z. Y. Zhang, L. Ni and H. X. Li (Hefei, Anhui, China)

Applications of penicillinase FET in penicillin fermentation engineering. 568
Z.-X. Wang (Beijing, China)

Biosensor based on ISFET for penicillin determination 570
L. Zhong and G. Li (Beijing, China)

Nucleoside oxidase-immobilized electrode as a sensor for nucleoside and nucleotide 572
H. Kinoshita (Nagasaki, Japan), T. Ikeda and S. Shimizu (Kyoto, Japan)

Amperometric enzyme electrode with the use of dehydrogenase and NAD(P)H oxidase 574
F. Mizutani, S. Yabuki and T. Katsura (Ibaraki, Japan)

Amperometric enzyme sensor using conducting organic salt-containing polypyrrole matrix 576
A. Begum, H. Tsushima, T. Suzawa, H. Shinohara, Y. Ikariyama and M. Aizawa (Yokohama, Japan)

Analytical application for chemicals using an enzyme sensor based on an ISFET 578
H. Sakai, N. Kaneki and H. Hara (Muroran, Japan)

Planar-type, gas diffusion-controlled oxygen sensor fabricated by the plasma spray method 581
S. Oh and M. Madou (Menlo Park, CA, USA)

Amperometric acidic gas sensors using platinum oxide reduction and iodine reduction 583
T. Ishiji (Tokyo, Japan) and K. Takahashi (Saitama, Japan)

Sensing properties of Ln_2CuO_4/SnO_2 (Ln = rare earth) having a heterojunction 585
O. Makimoto and T. Arakawa (Fukuoka, Japan)

Development of pulse-drive semiconductor gas sensor 587
T. Amamoto, T. Yamaguch, Y. Matsuura and Y. Kajiyama (Osaka, Japan)

Effects of tin oxide semiconductor–electrode interface on gas-sensitivity characteristics 589
K. Fukui and M. Nakane (Osaka-shi, Japan)

A study of the sensing characteristics of Fe_2O_3 gas-sensing thin film 591
J. Peng and C. C. Chai (Shaanxi, China)

Gas-sensing properties of ultrathin zinc oxide films. 594
T. Yamazaki, S. Wada, T. Noma and T. Suzuki (Tokyo, Japan)

Effect of doping anions in polypyrrole gas sensors 596
H. Nagase, K. Wakabayashi and T. Imanaka (Osaka, Japan)

Gas-sensing characteristics of ZnO–NiO junction structures with intervening ultrathin SiO_2 layer 598
K. Suga (Hiratsuka, Kanagawa, Japan), N. Koshizaki, K. Yasumoto (Tsukuba, Ibaraki, Japan) and E. Smela (Philadelphia, PA, USA)

Relationship between electrical conductivity of metal oxide sensors and catalytic conversion of substances. 600
N. P. Maksimovich (Kiev, Ukraine)

Some differences between Au and Pt electrodes in SnO_2 thick-film gas sensors. 602
A. Ylinampa, V. Lantto and S. Leppävuori (Oulu, Finland)

Monoelectrode gas sensors based on SnO_2 semiconductor ceramics 605
D. R. Orlik, M. I. Ivanovskaya, G. A. Branitsky and P. A. Bogdanov (Minsk, Belarus)

Amperometric oxygen sensors based on fast ion conductors for rapid detection at ambient temperature 608
J. Kuwano, A. Wakagi and M. Kato (Tokyo, Japan)

Tin oxide (SnO_2) alcohol sensor from metal organic decomposed (MOD) thick film 610
P. P. Tsai, I.-C. Chen and M. H. Tzeng (Hsinchu, Taiwan)

Film-type In_2O_3 gas sensor 613
Y. Yasukawa, T. Seki, J. Muramatsu, S. Sugie, S. Tasaka and N. Inagaki (Hamamatsu, Japan)

Selective and sensitive humidity sensor based on barium chloride dihydrate 615
G. Sberveglieri, G. Faglia, R. Ricci (Brescia, Italy), R. Murri and N. Pinto (Camerino, Italy)

A humidity and hydrogen gas-sensitive polyimide–silicon diode 617
S. Nakagomi and T. Yamamoto (Ishinomaki, Japan)

Tungsten oxide-based semiconductor sensor for detection of nitrogen oxides in combustion exhaust 619
M. Akiyama, Z. Zhang, J. Tamaki, N. Miura, N. Yamazoe and T. Harada (Fukuoka, Japan)

NO_2 gas-sensing properties of Ga-doped ZnO thin film. 621
S. Matsushima, D. Ikeda, K. Kobayashi and G. Okada (Matsuyama, Japan)

Trimethylamine-sensing mechanism of TiO_2-based sensors. 3. Temperature programmed desorption behaviour of trimethylamine and variation of sensitivity with sensor thickness 623
Y. Shimizu, K. Fakuda, Y. Takao and M. Egashira (Nagasaki, Japan)

Detection of carboxylic acid vapor using poly(*N*,*N*-dimethylaminoethyl methacrylate) 625
Y. Sakai, Y. Sadaoka, M. Matsuguchi and T. Saito (Matsuyama, Japan)

An adsorption-luminescent Al_2O_3 sheet for determining vapor of odor substances in air. 627
K. Utsunomiya, M. Nakagawa, T. Tomiyama, I. Yamamoto, Y. Matsuura, S. Chikamori, T. Wada, N. Yamashita and Y. Yamashita (Okayama, Japan)

Design of ion sensor based on Langmuir–Blodgett films having potential-sensitive dye: effect of surface treatment of solid substrate on potassium-ion sensing 629
M. Shimomura (Sapporo, Japan), A. Honma, S. Kondo, E. Shinohara, N. Tajima and K. Koshiishi (Tokyo, Japan)

Current–voltage response of an electrochemical photosensor. 632
V. M. Aroutiounian (Yerevan, Armenia)

Acoustic Love plate sensors: a theoretical model for the optimization of the surface mass sensitivity 635
A. C. Stevenson, E. Gizeli, N. J. Goddard and C. R. Lowe (Cambridge, UK)

Acoustic Love plate sensors: comparison with other acoustic devices utilizing surface SH waves. 638
E. Gizeli, A. C. Stevenson, N. J. Goddard and C. R. Lowe (Cambridge, UK)

Photoacoustic sensor for carbon aerosols. 640
A. Petzold and R. Niessner (Munich, Germany)

Surface acoustic wave NO_2 sensor: influence of humidity. 642
D. Rebière, G. Duchamp, J. Pistré (Talence, France), M. Hoummady, D. Hauden (Besançon, France) and R. Planade (Vert le Petit, France)

An electrical percolation model for tin dioxide polycrystalline thin films. 646
C. Pijolat, P. Breuil, A. Méthivier and R. Lalauze (Saint-Etienne, France)

F^--ion conducting composite material for chemical sensors based on LaF_3 and tetrafluoroethylene 649
A. A. Vasiliev, D. Yu. Godovski, V. N. Bezmelnitsyn and V. S. Gazkov (Moscow, Russian Federation)

Method of fabrication of ISFETs and CHEMFETs on an Si–SiO_2–Si structure 653
A. S. Poghossian (Yerevan, Armenia)

Drift behaviour of ISFETs with Si_3N_4–SiO_2 gate insulator 655
P. Hein and P. Egger (Munich, Germany)

A disposable lactate sensor capable of correcting errors induced by reducing substances. 657
H. Uenoyama, H. Okuda (Kyoto, Japan) and M. Aizawa (Yokohama, Japan)

A new type of halide-ion biosensor using halorhodopsin and an ion-sensitive field-effect transistor. 659
I. Kubo, A. Seki (Tokyo, Japan), H. Tomioka and H. Sasabe (Saitama, Japan)

Amperometric biosensors based on flavoenzymes and quinoenzymes from bacterial membranes 661
K. Miki, F. Matsushita, D. Kobayashi and T. Ikeda (Kyoto, Japan)

Construction and characterization of low-temperature-operating biosensors 663
K. Sode, S. Nakasono, M. Tanaka and T. Matsunaga (Tokyo, Japan)

Characterization of N-substituted polypyrrole thin-film electrode having immobilized glucose oxidase 665
M. Yasuzawa, N. Matsushita, H. Satake and A. Kunugi (Tokushima, Japan)

Water-soluble macromolecular mediators for enzyme electrodes 667
S. Iijima, F. Mizutani and T. Katsura (Tsukuba, Ibaraki, Japan)

Liquid membrane electrodes for nucleotides based on sapphyrin, cytosine-pendant triamine and neutral cytosine derivative as sensory elements 669
K. Tohda, R. Naganawa, M. L. Xiao, M. Tange, K. Umezawa, K. Odashima, Y. Umezawa (Sapporo, Japan), H. Furuta and J. L. Sessler (Austin, TX, USA)

An amperometric biosensor for fructose using a PQQ enzyme 673
G. F. Khan, H. Shinohara, Y. Ikariyama and M. Aizawa (Yokohama, Japan)

Preparation and characterization of SnO_2 gas-sensitive membranes by sol–gel process. 675
H. X. Li, J. H. Liu and Y. H. Zhang (Hefei, Anhui, China)

Sensing mechanism of SnO_2 thin film gas sensors. 677
H. Ohnishi, H. Sasaki, T. Matsumoto and M. Ippommatsu (Konohana-ku, Osaka, Japan)

Temperature dependence of gas sensitivities on a catalytic thin film 679
I. Zdanévitch, A. Accorsi (Verneuil-en-Halatte, France), G. Vauchier and D. Charlot (Grenoble, France)

Catalyst–adsorptive oxide–semiconductor gas sensors 682
W. P. Kang and C. K. Kim (Nashville, TN, USA)

Device modeling of semiconductor gas sensors. 685
H. Geistlinger (Leipzig, Germany)

The kinetic semiconductor gas-sensor conduction model and its practical use in gas analysis. 687
E. Ye. Gutman, I. A. Myasnikov (Moscow, Russian Federation), S. A. Kazakov, S. V. Rugentsev and S. K. Dymenko (Sergiev Posad, Russian Federation)

Mössbauer and microstructural studies of iron phthalocyanine as a potential gas sensor 690
J. K. O'Rourke, J. S. Brooks, N. A. Bell, J. Cawley and S. C. Thorpe (Sheffield, UK)

Chemical sensors in hydrogen diagnostic systems in nuclear power 693
S. S. Yakimov (Moscow, Russian Federation)

Development of a thin-film oxygen sensor for combustion control of gas appliances. 695
K. Saji, H. Kondo, H. Takahashi (Aichi-gun, Aichi-ken, Japan), H. Futata, K. Angata and T. Suzuki (Tenryu-shi, Shizuoka-ken, Japan)

A new hydrogen sensor for molten aluminum 697
T. Yajima, K. Koide (Tajimi, Japan), N. Fukatsu, T. Ohashi and H. Iwahara (Nagoya, Japan)

Development of a fast response smart hydrogen temperature–humidity sensor. 700
C. Gui, G. Feng and Y. Dong (Beijing, China)

Metal phosphonate-based quartz crystal microbalance sensors for amines and ammonia 703
K. Aoki, L. C. Brousseau and T. E. Mallouk (Austin, TX, USA)

Semiconductor sensors for determination of fluorine-containing gas mixtures. 705
A. A. Vasiliev, D. Yu. Godovski, A. I. Buturlin and T. A. Gabuzyan (Moscow, Russian Federation)

Template sensors for low weight organic molecules based on SiO_2 surfaces 708
N. F. Starodub, S. A. Piletsky, N. V. Lavryk and A. V. El'skaya (Zabolotnogo, Ukraine)

Prototype of a phosphine sensor based on a conducting LB film 711
H. Perez, S. Clemendot, G. Derost, A. Ruaudel-Teixier, A. Barraud (Gif sur Yvette, France) and R. Planade (Vers le Petit, France)

Development of semiconductor gas sensor to discern flavors of consomme soup 713
T. Maekawa, Y. Anno, J. Tamaki, N. Miura, N. Yamazoe (Fukuoka, Japan), Y. Asano and K. Hayashi (Tokyo, Japan)

Aluminum-doped ZnO thin film gas sensor capable of detecting freshness of sea foods 715
H. Nanto, H. Sokooshi and T. Kawai (Ishikawa, Japan)

Aroma identification using a quartz-resonator sensor in conjunction with pattern recognition. 718
H. Nanto, T. Kawai, H. Sokooshi and T. Usuda (Ishikawa, Japan)

Multi-wavelength surface plasmon resonance as an optical sensor for characterizing the complex refractive indices of chemical samples. 721
R. C. Jorgenson, C. Jung, S. S. Yee and L. W. Burgess (Seattle, WA, USA)

Optical immunosensing for IgG 723
K. Owaku, M. Goto, Y. Ikariyama and M. Aizawa (Yokohama, Japan)

Electrochemiluminescent sensing for the characterization of DNA-interacting antitumor and antiviral agents 725
Y. Ikariyama, Y. Taguchi, T. Suzawa, E. Kobatake and M. Aizawa (Yokohama, Japan)

Fiber optic immunosensors for detection of some drugs. 728
N. F. Starodub (Kiev, Ukraine), P. Ya. Arenkov (Dnipropetrovsk, Ukraine), A. E. Rachkov (Kiev, Ukraine) and V. A. Berezin (Dnipropetrovsk, Ukraine)

Fiberoptic evanescent wave sensing of antigen–antibody binding 732
E. F. Carome, G. A. Coghlan, C. N. Sukenik and J. E. Zull (Cleveland, OH, USA)

Frequency change of piezoelectric quartz crystals in contact with solutions and development of latex piezoelectric immunoassay (LPEIA) 734
S. Kurosawa (Sapporo, Japan), M. Muratsugu (Asahikawa, Japan), H. Kitajima, Y. Ogawa (Sapporo, Japan), E. Nemoto (Katsuta, Japan) and N. Kamo (Sapporo, Japan)

Study of sensing theory by resonant damping. 736
G. Feng, C. Gui and Y. Dong (Beijing, China)

Scanning Kelvin probe as a high resolution surface analysis device 739
H. D. Liess, R. Mäckel, H. Baumgärtner and J. Ren (Neubiberg, Germany)

Kelvin probe measurements for chemical analysis: interfacial structure of electrodes exposed to the gas phase containing water vapour 741
Z. Samec (Prague, Czech Republic), B. W. Johnson, M. Cappadonia, M. Jauch and K. Doblhofer (Berlin, Germany)

Anion-sensing electrodes based on nickel(II) and copper(II) mixed ligand complexes 743
N. Sato (Kawasaki, Japan) and Y. Fukuda (Tokyo, Japan)

Spectroscopic and electrochemical properties of ion-sensing membranes fabricated by ion implantation 746
M. T. Pham, S. Howitz, J. Hueller, J. Albrecht, B. Koch and H. Voehse (Dresden, Germany)

An impedance based ultra-thin platinum island film glucose sensor 749
B. Kasapbasioglu, P. J. Hesketh, W. C. Hanly, G. J. Maclay and R. Nowroozi-Esfahani (Chicago, IL, USA)

Polypyrrole bienzyme electrodes with glucose oxidase and peroxidase. 752
T. Tatsuma, T. Watanabe and T. Watanabe (Tokyo, Japan)

Properties of the monoclonal antibody for the construction of a tetryl sensitive fluoroimmuno sensing system 754
K. Yugawa, H. Sugihara, J. Miyazaki and T. Mitsumata (Osaka, Japan)

Studies of body fluids with optical fiber sensors 756
C. Takahashi, A. Kaneko, Y. Komata, S. Yokoyama and T. Fujie (Tokyo, Japan)

Whole blood measurements with thermal micro-biosensors 758
B. Danielsson, B. Xie and U. Hedberg (Lund, Sweden)

Author Index of Volumes B13 and B14 761

Subject Index of Volumes B13 and B14 764

Please note that the page numbering for these Proceedings is continuous throughout Volumes B13 and B14, and Author and Subject Indexes are published at the end of this volume.